Geophysical Research Abstracts, Vol. 9, 02123, 2007

SRef-ID: 1607-7962/gra/EGU2007-A-02123 © European Geosciences Union 2007



Is it possible generation of Kuril-Kamchatka earthquake in 2007-08 yrs, whose seismic focus is being formed between northern Kamchatka and Simushir Island?

V. Bobrovskiy

Innovation Youth Fund "Electrical Technologies of the Subterranean", office 16 bld. 15/2 prospekt 50 let Oktyabrya, Petropavlovsk-Kamchatskiy 683024, Russia, phone: +7.4152 231395 GSM:+7.909 8305835 E-mail: vadokoem@gmail.com, V.Bobrovsky@cosmetecor.org, Internet: http://www.cosmetecor.org

"How Earth's Interior Work?" Ouestion Does [http://www.sciencemag.org/sciext/125th/] is number ten of 125 big ones that face scientific inquiry over the next quarter-century. Our work is an attempt to answer the aforesaid question. As part of cosmometeotectonic technology we introduce the method of situation analogy to show the similarity between the preparation of the Kuril-Kamchatka tsunamigenic earthquake with magnitude (M) 8.5, occurred 1952/11/04(05), and the Kuril-Kamchatka seismic process'2006, discussed (Bobrovskiy, V.S., 2006. Erice workshop on EARTHQUAKE AND SHAKING PROBABILITIES: HELPING SOCIETY TO MAKE THE RIGHT CHOICE, http://www.ingv.it/primopiano/erice2006/PPT/mat-conf.html). Here we show the similarity of situation at the beginning of winter' 2006 and at the beginning of winter'2005 when short-term regional (for Kamchatka) forecast of strong earthquake on winter-spring' 2006 was formulated by author. Catastrophic earthquake (M7.6) realized the short-term forecast in the north of Kamchatka 2006/04/20. Now short-term forerunners of strong earthquake in Kamchatka indicate that the seismic catastrophe between northern Kamchatka and Middle of Kuril Arc would be expected just in 2007.