

Sensitivity of a Central Mediterranean moderate storm to the upper-level forcing: a LEPS approach.

S. Federico (1,2), E. Avolio (2), C. Bellecci (1,3), A. Lavagnini(4), R. L. Walko (5)

(1) CRATI Srl, c/o Università della Calabria, Rende (CS), Italy, (2) CNR-ISAC, Via P.le Lecce-Monteroni km 1,200, Lecce, Italy, (3) Facoltà di Ingegneria, Università di “Tor Vergata”, Rome, Italy, (4) CNR-ISAC, via del Fosso del Cavaliere 100, Rome , Italy, (5) Pratt School, Duke University, Durham, NC, USA

This study investigates the sensitivity of a moderate-intense storm that occurred over Calabria, southern Italy, to the upper-tropospheric forcing through a Potential Vorticity (PV) perspective. A prominent mid-tropospheric trough can be identified for this event, which occurred between 22-24 May 2002, and serves as the precursor agent for the moderate-intense precipitation recorded.

The working hypothesis is that the uncertainty in the representation of the upper-level disturbance has a major impact on the precipitation forecast and we cope with this issue by selecting five different scenarios in a Limited area model Ensemble Prediction System (LEPS) framework which utilizes the height of the dynamical tropopause as the discriminating variable. Pseudo water vapour images of different scenarios are compared to the corresponding METEOSAT 7 water vapour image at a specific time, antecedent to the rain occurrence over Calabria, in order to evaluate the reliability of the different precipitation scenarios simulated by the LEPS.

The working hypothesis is then verified in the second part of the paper where the impact of the upper-tropospheric forcing for this event is discussed using the PV inversion property.